Honeywell | Gas Detection

BW Clip4

Multi-Gas Portable Gas Detector

The BW Clip series revolutionized wearable single gas detection with the safety of always-on simplicity. And now we've done it again: Introducing the new low maintenance BW Clip4 multi-gas detector from Honeywell. No charging, no battery or sensor servicing, no hassle. Just clip it on and get the job done. Because for two years, you know – it's on.

GENERAL SPECIFICATIONS		
SIZE	4.7 x 2.7 x 1.3 in. / 12.0 x 6.8 x 3.2 cm	
WEIGHT	8.2 oz. / 233 g	
OPERATING TEMPERATURE	-4 to +131°F / -20 to +50°C	
INGRESS PROTECTION	IP68	
WARRANTY	Full two-year warranty including all sensors	



ORDERING INFORMATION			
BW Clip4 Multi-Gas Detector	Black Housing	Yellow Housing	
BW Clip4 4-gas detector (O ₂ , LEL, H ₂ S, CO), North American version	BWC4-B-N	BWC4-Y-N	
BW Clip4 4-gas detector (O ₂ , LEL, H ₂ S, CO), European version	BWC4-B-E	BWC4-Y-E	
BW Clip4 4-gas detector (O ₂ , LEL, H ₂ S, CO), United Kingdom version	BWC4-B-U	BWC4-Y-U	
BW Clip4 4-gas detector (O_2 , LEL, H_2S , CO), Chinese/New Zealand version	BWC4-B-C	BWC4-Y-C	
BW Clip4 4-gas detector (O ₂ , LEL, H ₂ S, CO), Australian version	BWC4-B-A	BWC4-Y-A	
BW Clip4 4-gas detector (O ₂ , LEL, H ₂ S, CO), Brazilian version	BWC4-B-B	BWC4-Y-B	
BW Clip4 4-gas detector (O ₂ , LEL, H ₂ S, CO), Russian version	BWC4-B-R	BWC4-Y-R	
Carrying Accessories	Order M	lumber	
Neck strap with safety release	GA-1	GA-NS-1	
Short strap (6 in. / 15.2 cm)	GA-	GA-LY-1	
Extension strap (4 ft. / 1.2 m)	GA-I	GA-ES-1	
Chest harness	GA-0	GA-CH-2	
Sampling Equipment	Order M	Number	
Manual aspirator pump kit	D4-4	AS01	
IntelliDoX Docking System	Order M	lumber	
IntelliDoX docking station for BW Clip4	DX-B	DX-BWC4	
IntelliDoX Nest for BW Clip4	DX-NES	DX-NEST-BWC4	
Enabler kit, North American version	DX-EN	DX-ENBL-NA	
Enabler kit, European version	DX-EN	DX-ENBL-EU	
Enabler kit, United Kingdom version DX-ENBI		BL-UK	
Enabler kit, Australian version	DX-ENBL-AU		

BW Clip4 Multi-Gas Portable Gas Detector

ORDERING INFORMATION (CONTINUED)	
Testing Equipment	Order Number
Quad-gas: CH $_4$ (2.5%), O $_2$ (18.0%), H $_2$ S (25 ppm), CO (100 ppm), 34 L, balance N $_2$ (requires REG-DF-1 or REG-0.5)	CG-Q34-4
Quad-gas: CH_4 (2.5%), O_2 (18.0%), H_2S (25 ppm), CO (100 ppm), 58 L, balance N_2 (requires REG-DF-1 or REG-0.5)	CG-Q58-4
Demand flow regulator (for use with MicroDock II or IntelliDoX)	REG-DF-1
Calibration gas regulator (0.5 LPM)	REG-0.5
Calibration hose, Tygon (1 ft. / 0.3 m, 1/8 in. I.D., 1/4 in. 0.D.)	C2-HOSE1-1
Wall mount (adjustable) for 34, 58, 103 L gas cylinders, red	MK-CG2-58
Spares & Replacement Parts	Order Number
Replacement sensor screens for BW Clip4 (kit of 2)	BWC4-SS
Replacement sensor screens for BW Clip4 (kit of 10)	BWC4-SS-K1
Replacement test cap for BW Clip4	BWC4-TC
Replacement alligator clip for BW Clip4	BWC4-AG
Replacement screw kit for BW Clip4 (kit of 30)	BWC4-SCREW



Thank you for reading this data sheet.

For pricing or for further information, please contact us at our UK Office, using the details below.

UK Office Keison Products, P.O. Box 2124, Chelmsford, Essex, CM1 3UP, England. Tel: +44 (0)330 088 0560 Fax: +44 (0)1245 808399 Email: sales@keison.co.uk

Please note - Product designs and specifications are subject to change without notice. The user is responsible for determining the suitability of this product.