

Single Gas Cylinders (cont'd)	Cylinder Material	Regulator	Balance	Liters	Order Number
NO ₂ (10 ppm)	Aluminum	REG-1.0	Air	34	CG2-D-10-34
NO ₂ (10 ppm)	Aluminum	REG-1.0	Air	58	CG2-D-10-58
NO ₂ (25 ppm)	Aluminum	REG-1.0	Air	34	CG2-D-25-34
NO ₂ (25 ppm)	Aluminum	REG-1.0	Air	58	CG2-D-25-58AL
O ₂ (18.0%)	Steel	REG2-0.5	N ₂	34	CG2-X-18.0-34
SO ₂ (10 ppm)	Aluminum	REG-0.5	N ₂	34	CG2-S-10-34
SO ₂ (20 ppm)	Aluminum	REG-0.5	N ₂	34	CG2-S-20-34
SO ₂ (20 ppm)	Aluminum	REG-0.5	N ₂	58	CG2-S-20-58
SO ₂ (25 ppm)	Aluminum	REG-0.5	N ₂	58	CG2-S-25
SO ₂ (50 ppm)	Aluminum	REG-0.5	N ₂	58	CG2-S-50-58
NO (50 ppm)	Aluminum	REG-0.5	N ₂	34	CG2-N-50-34
PH ₃ (1 ppm)	Aluminum	REG-0.5	N ₂	34	CG2-P-1-34
PH ₃ (5 ppm)	Aluminum	REG-0.5	N ₂	34	CG2-P-5-34
Isobutylene (100 ppm)	Steel	REG2-0.5	Air	34	CG2-IB-100-34ST
Isobutylene (100 ppm)	Aluminum	REG-0.5	Air	34	CG2-IB-100-34AL
Isobutylene (100 ppm)	Aluminum	REG-0.5	Air	58	CG2-IB-100-58AL
Isobutylene (100 ppm)	Steel	REG-0.5	Air	103	CG2-IB-100-103ST
CH ₄ - methane (2.5% v. / 50%LEL)	Steel	REG2-0.5	Air	17	CG2-J-2.5-17
CH ₄ - methane (2.5% v. / 50%LEL)	Steel	REG2-0.5	Air	34	CG2-J-2.5-34
CH ₄ - methane (2.5% v. / 50%LEL)	Steel	REG-0.5	Air	103	CG2-J-2.5
CH ₄ - methane (2.5% v. / 50%LEL)	Aluminum	REG-0.5	Air	34	CG2-J-2.5-34AL
CH ₄ - methane (2.5% v. / 50%LEL)	Aluminum	REG-0.5	Air	58	CG2-J-2.5-58
CH ₄ - methane (2.2% v. / 50%LEL)	Aluminum	REG-0.5	Air	34	CG2-J-2.2-34
CH ₄ - methane (2.2% v. / 50%LEL)	Aluminum	REG-0.5	Air	58	CG2-J-2.2-58
C ₄ H ₁₀ - butane (0.925% v. / 50%LEL)	Steel	REG2-0.5	Air	17	CG2-I-0.925-17
C ₄ H ₁₀ - butane (0.9% v. / 49%LEL)	Aluminum	REG-0.5	Air	58	CG2-I-0.9-58
C ₃ H ₈ - propane (1.0% v. / 50%LEL)	Steel	REG2-0.5	Air	34	CG2-R-1.0-34
C ₅ H ₁₂ - pentane (0.35%v. / 25 %LEL)	Steel	REG2-0.5	Air	34	CG2-K-0.35-34
C ₅ H ₁₂ - pentane (0.75% v. / 50%LEL)	Steel	REG2-0.5	Air	34	CG2-K-0.75-34
C ₆ H ₁₄ - hexane (0.48% v. / 50%LEL)	Steel	REG2-0.5	Air	17	CG2-Q-0.48-17
H ₂ - 2% (50%LEL)	Steel	REG-0.5	Air	103	CG2-F-2.0-103
Nitrogen gas (100% N ₂)	Steel	REG2-0.5	-	34	CG-G0043-N2-34
Nitrogen gas (100% N ₂)	Steel	REG-0.5	-	103	CG-G0043-N2-103
Zero air THC	Steel	REG2-0.5	-	34	CG-ZERO-34
Zero air THC	Steel	REG-0.5	-	103	CG-ZERO

Gas cylinders may be subject to minimum order quantities. Please contact your BW representative for further information.
 Note: Regulators sold separately

Test Gases	Cylinder Material	Balance	Liters	Order Number
BUMP alarm test gas aerosol H ₂ S (25ppm)	Aluminum	N ₂	11	CG-BUMP-H25
BUMP alarm test gas aerosol CO (100ppm)	Aluminum	N ₂	11	CG-BUMP-M100
BUMP alarm test gas aerosol H ₂ S (40ppm), CO (200ppm), CH ₄ (2.5%), O ₂ (10%)	Aluminum	N ₂	11	CG-BUMP1
BUMP alarm test gas aerosol H ₂ S (25ppm), CO (100ppm), CH ₄ (2.2%), O ₂ (20.9%)	Aluminum	N ₂	11	CG-BUMP2
BUMP alarm test gas aerosol H ₂ S (25ppm), CO (100ppm), C ₃ H ₈ (1.1%), O ₂ (20.9%)	Aluminum	N ₂	11	CG-BUMP3
Spare balloon assembly kit with tubing and adaptor for BUMP gas	-	-	-	CG-BUMP-B-K
Spare balloons for BUMP gas (kit of 10)	-	-	-	CG-BUMP-B

Gas cylinders may be subject to minimum order quantities. Please contact your BW representative for further information.

Note: Test gases are used for qualitative functional testing of sensors and alarms only. Test gases cannot be used as calibration gases.

Calibration Hoses	Order Number
Calibration hose, Tygon (1 ft./0.3 m)	C2-HOSE1-1
Calibration hose, Tygon (5 ft./1.5 m)	C2-HOSE1-5
Calibration hose, Tygon (10 ft./3 m)	C2-HOSE1-10
Calibration hose, Teflon (3 ft./0.9 m), with flared ends for Cl ₂ cal gas with Reg-1.0	C2-HOSE2
Connector fitting for Teflon-lined hose (C2-HOSE4-##)	C2-CF-HOSE4

Regulators and Accessories	Order Number
Calibration gas regulator (0.5 LPM)	REG-0.5
Calibration gas regulator (0.5 LPM)	REG2-0.5
Calibration gas regulator (1.0 LPM)	REG-1.0
Calibration gas regulator - trigger style (for use with G0042-H25-BUMP only)	REG-TRIG1
Demand flow regulator - for disposable cylinders	REG-DF-1
Demand flow regulator - for refillable cylinders, CGA connector	REG-DF-2
Demand flow regulator for disposable steel cylinders	REG-DF-3
Recycle kit - for calibration gas cylinders	CG-RK-1
Wall mount for 34 L gas cylinder, black	MK-CG2-34B
Wall mount for 34, 58, 103 L gas cylinders, red	MK-CG2-58
58 L calibration cylinder blue carrying case	CK2-CASE1

MicroDock II requires a REG-DF-1. Aerosols do not require regulators.



Thank you for reading this data sheet.

For pricing or for further information, please contact us at our UK Office, using the details below.



UK Office

Keison Products,

P.O. Box 2124, Chelmsford, Essex, CM1 3UP, England.

Tel: +44 (0)330 088 0560

Fax: +44 (0)1245 808399

Email: sales@keison.co.uk

Please note - Product designs and specifications are subject to change without notice. The user is responsible for determining the suitability of this product.