

Portable Weighing for Limited Budgets



Compact

Save working space thanks to the compact footprint and clever design.



Portable

Every PL-L model can be both AC and battery operated. The built-in battery slot fits 4 standard AA batteries. Ideal for work whenever a power supply is hard to find.



For limited budgets

The PL-L portable balances offer you reliable results and METTLER TOLEDO quality at a price that is within your means.



Built-in applications

Easy to use application programs are built-in like Piece Counting, Percent Weighing and Recall.



Classic Light PL-L Line Entry Level Portable Balances

Classic Light PL-L balances offer everything you need to obtain accurate results – without unnecessary features and extras. Handy and compact in design, they offer no compromise on precision and performance.

METTLER TOLEDO

Classic Light Balances PL-L – Model overview



Readability	Model	Max. Load	Adjustment	Repeatability	Linearity	Approval	Balance Size (LxWxH)	Weighing Pan (mm)
0.01 g	PL202-L	210 g	Cal Ext	0.01 g	0.02 g		194x225x67 mm	Ø 120
	PL402-L	410 g	Cal Ext	0.01 g	0.03 g		194x225x67 mm	
	PL602-L	610 g	Cal Ext	0.01 g	0.03 g	•	194x225x67 mm	
0.1 g	PL601-L	610 g	Cal Ext	0.1 g	0.2 g	•	94x225x67 mm	Ø 160
	PL1001-L	1110 g	Cal Ext	0.1 g	0.2 g		194x225x67 mm	
	PL2001-L	2100 g	Cal Ext	0.1 g	0.2 g		194x225x67 mm	
	PL4001-L	4100 g	Cal Ext	0.1 g	0.2 g		194x225x67 mm	
	PL6001-L	6100 g	Cal Ext	0.1 g	0.2 g	•	194x225x67 mm	
1 g	PL6000-L	6100 g	Cal Ext	1 g	2 g	•	194x225x67 mm	

Features



Adjustment at a keystroke with an external weight



Display increment faster weighing with reduced readability



Optional interface
PL-L/00: No interface
PL-L/01: RS232 interface with DB9 connector



Battery Operation Full independence from power supply for 20 hours



Units Weighing results in different units: kg, g, mg, lb, oz, ozt, GN, dwt, mo, m, fl (according to country regulations)



Below weighing hook for weighing below the balance

Applications

Piece Counting, Percent Weighing, Recall

Accessories



RS-P26 Printer
Order No. 11124300
Ergonomically designed operation keys like Zero, Date/Time, Feed, Print



LabX direct balance
Order No. 11120340
Simple data input by connecting the balance to a PC



Anti-theft device
Order No. 00590101
Steel cord with universal lock securing the balance



Auxiliary Display
Order No. 12120057
The backlit auxiliary display is freely placeable



Certified Weights
Weights for customized testing and adjustments. With guaranteed traceability

www.mt.com/weights



Transport case
Order No. 12102982
For field experiments: accommodates portable balances, AC adapter, batteries and weights



Thank you for reading this data sheet.

For pricing or for further information, please contact us at our UK Office, using the details below.



UK Office

Keison Products,

P.O. Box 2124, Chelmsford, Essex, CM1 3UP, England.

Tel: +44 (0)330 088 0560

Fax: +44 (0)1245 808399

Email: sales@keison.co.uk

Please note - Product designs and specifications are subject to change without notice. The user is responsible for determining the suitability of this product.