

# Inhale, Exhale, Relax

[Triple Safety with the Advantage Line]



# **MSA Advantage 3000**

### Safety that fits

With the Advantage 3000 and Advantage 200 LS masks, as well as the TabTec® Filter Technology, MSA has introduced three different respiratory protection devices on the market and established a technology lead.



Advantage 3100 with Gas Filter ABEK



Advantage 3200 with TabTec® Gas Filter

Clean air for breathing is essential for life. So nothing is more important than clean air – especially if you have to work in a contaminated atmosphere.

Our philosophy is simple and effective: Comfortable protection for people is always the prime goal, and optimal safety is the highest priority at MSA. But the comfort of a respirator is at least equally important because if your respirator is uncomfortable you cannot concentrate fully on your work, and that endangers your safety.

But the right type of respiratory protection depends on the particular situation. If there are hazards that also irritate or harm the eyes, you need a mask which covers your entire face and thus protects both respiratory tract and eyes.

#### Smart Protection

The MSA Advantage 3000 series of full face masks sets new standards for protection and unparalleled comfort. This innovative full face mask was developed to meet the high quality standards in Europe and North America.



Put your chin into the chin stop



Pull the straps over your head



Tighten the straps

#### The Right Size for Every User

Depending on the application and individual head size, everybody has his or her own requirements when it comes to respiratory protective equipment. In order to meet every requirement, the Advantage 3000 comes in two versions, each with three different sizes. The Advantage 3000 is available for single or twin filters, which means that both the classic filter with EN 148 standard thread or the Advantage filter series can be used.

#### [Easy Fittings]

The Advantage 3000 is incredibly quick to put on and simple to handle. Holding the mask with one finger, you put your chin into the chin stop and pull the harness over your head. Then you tighten the two lower straps. If necessary, you can adjust the upper side straps before putting on the mask. This makes it quicker and simpler, without any painful hair pulling.

Even men with beards can benefit of a better protection with the Advantage 3000 because the new patented Advantage head harness guarantees a perfect facepiece-to-face fit.

#### Attractive Design

Apart from functional efficiency we have also paid special attention to appearance. The narrow design is one feature. A large, optically corrected eye glass ensures clear, undistorted vision, while the grey-blue colour gives the mask an aesthetic appearance.

#### The Ideal Mask for Every User

As we said, the MSA Advantage 3000 is available in different versions and sizes. To simplify your choice of the right model, we have assigned each model 4-digits:

- The first digit "3" identifies the 3000 series.
- The second digit stands for the number of filters [1 for EN 148, 2 for bayonet].
- The third digit indicates the size [1 = small, 2 = medium, 3 = large].
- The fourth digit identifies the head harness [1 for the Advantage harness, 2 for the Advantage harness with silicon straps].

Like the Advantage 200 LS, the Advantage 3000 can be fitted with the latest in filter technology.



The Advantage 3000 is available with single EN or twin Advantage filter ports



# **MSA Advantage 200 LS**

[Comfortable Respiratory Protection – Light and Safe]

MSA has improved the Advantage 200 respirator even further. The result is the high-performance, economic and easy to handle Advantage 200 LS respirator.



The Advantage 200 LS respirator

Working with production materials and handling chemical products requires the use of respiratory protective equipment. For this reason optimal respiratory protection for the many different hazardous substances is essential. This applies to emergency situations as well as to precautionary measures at work or in situations where healthendangering gases or substances are released.

The "feel good factor" is also essential. If your mask does not fit exactly, not only the quality of your work suffers, but safety is also endangered.

MSA makes a mask that surpasses all previous comfort criteria.

Our Advantage 200 LS with its filter technology meets every requirement of modern respiratory protection. The respirator is extremely safe, exceptionally comfortable and incorporates the latest technology. Furthermore, it is characterised by light weight, minimum breathing resistance and uncomplicated handling. Especially the modified nose area and amply dimensioned chin and cheek sections ensure a comfortable and pressure-free fit.



Advantage 200 LS with FLEXIfilter



The facepiece-to-face Anthrocurve



The convenient belt pouch is ideal for storing and carrying the Advantage 200 LS and its filters

#### Universal: The Applications

The Advantage 200 LS protects against dirt, dust and hazardous gases. The mask is suitable for every area of use, whether in industry, craft trades or DIY. With its excellent facepiece-to-face fit, it provides maximum protection and offers greatly improved wearing comfort.

#### Flexible: The Use

The Advantage 200 LS consists of the face section, a 4-point yoke, the inhalation and exhalation valve and the head harness. In addition, it is fitted with various particle, gas and combined filters.

#### Comfortable: The Fit

MSA's engineers have developed the unique facepiece-to-face Anthrocurve, which fits the user's face contours without any problem. This means even greater safety plus a faultless fit. The respirator is available in three different sizes.

#### Optimised: The Design

As a result of continual product improvement, the Advantage 200 LS is extremely comfortable thanks to its flexibility, light weight and 4-point harness. The ingenious Multiflex system is unique in the market. The plastic components are embedded in a soft material, thus making the face section elastic and robust.

For storage and transport of the mask, the Advantage belt pouch provides a perfect solution.



Particle, Gas and Combination Filters for the Advantage 200 LS



## MSA TabTec® and FLEXIfilter

### Simple and Effective – Pure Air

The masks in the Advantage series are fitted with the innovative TabTec® and FLEXIfilters. These filters protect against toxic gases, vapours and particles.



Advantage 3200 with TabTec® and FLEXIfilters

#### Revolutionary: TabTec®

TabTec<sup>®</sup> from MSA is a revolutionary filter technology – compact, flexible and environment friendly.

Traditional filters use carbon granules in a filter housing. TabTec® uses a carbon tablet – hence the name Tablet Technology.

The performance of the filter is as high as ever, but now the filter is more flexible and compact because weight, volume and environmentally harmful materials have been reduced to a minimum. The new Tab Technology is simple and effective. It eliminates the need for a filter housing thus permitting a compact and lightweight design.

The TabTec® Advantage Filter is available as A1, A2 and A2B2E1K1, and is approved according to EN 141. With an adapter, combination filters are also possible, either with P2 or P3 FLEXIfilter.



TabTec® with FLEXIfilters




TabTec® Filter in Detail


#### Innovative: FLEXIfilter

The FLEXIfilter is a highly innovative particle filter. With its flat design, hardly noticeable breathing resistance and light weight, it offers unsurpassed comfort.

The FLEXIfilter is approved for protection against dust according to EN 143. It is available in the filter classes P2, P3, P2 OR and P3 OR [Odour Removal]. The filter material is assembled according to class and performance. To eliminate unpleasant odours, thin layers of charcoal material are added. These versions are tested for 5 times the ozone threshold limit value for 8 hours.

The FLEXIfilter is suitable for applications where particle aerosols and odours occur. Since the filters fit well under a welder's hood, they are used by many welders.







Advantage 3200 with TabTec® Filter





Advantage 200 LS with FLEXIfilter

Gas filters against toxic or odourless gases must be replaced after a single use. The end of the service life of particle filters becomes apparent when breathing resistance increases.




Tab Technology

# **MSA Advantage 3000**

### Safety and Simplicity

With its exclusive design, the Advantage 3000 is one of the easiest-to-use masks on the market. It solves all comfort problems and its maintenance is easy to learn. All components can be replaced without tools in a matter of seconds





#### Advantage Container

The Advantage Container is designed for the new Advantage 3000 full face mask series, but can also be used with ALL masks in the MSA range. It provides new, unique features: a special recess and a wall bracket [also supplied] allow the container to be hung on the wall, ready to go. The inside of the container is equipped with a slide, into which an EN 148 threaded filter with its plastic cap can be inserted. The cover has two lugs, to which Advantage bayonet-type filters can be attached, secured by a velcro strap.



Advantage Container

### **Spare Parts**

| Spare rares |    |  |
|-------------|----|--|
| Part No.    |    | Description  |
| 100 32 104  | 1  | Nosecup medium/large                               |
| 100 32 103  | 1  | Nosecup small                                      |
| 100 32 112  | 2  | Lens, Twin Advantage<br>[with Gaskets, Dual Port]  |
| 100 32 113  | 3  | Lens, Single port EN 148                           |
| 100 32 114  | 4  | Lens Ring, Kit                                     |
| D2056714    | 5  | Inhalation Valve [20 pcs]                          |
| 100 32 110  | 6  | Exhalation Valve [10 pcs]                          |
| 100 32 105  | 7  | Connector EN 148<br>[with O-Ring and Clip]         |
| 100 32 111  | 8  | Gasket, Dual Port [10 pcs]                         |
| 100 32 106  | 9  | Connector Twin Advantage<br>[with O-Ring and Clip] |
| 100 32 102  | 10 | Head Harness Advantage                             |
| 100 32 101  | 11 | Button [12 pcs]                                    |
| 100 32 107  | 12 | Cover for Connector                                |
| 100 32 108  | 13 | O-Ring for Connector [5 pcs]                       |
| 100 32 109  | 14 | Spider Gasket [5 pcs]                              |
|             |    |  |

#### **Accessories**

| , ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | 10003501105                           |  |
|---|---------------------------------------|--|
| Part No.                                | Description                           |  |
| D2055765                                | MSA Disinfectant 90, 2 liters         |  |
| D2055766                                | MSA Disinfectant 90, 6 liters         |  |
| D6063705                                | MSA Leak Test Kit                     |  |
| 100 32 100                              | Carrying Strap                        |  |
| 100 17 835                              | Adapters Advantage<br>[for leak test] |  |
| 100 37 238                              | Cover lens, clear [10 pcs]            |  |
| 100 37 237                              | Cover lens, tinted [10 pcs]           |  |
| 100 37 282                              | Spectacles kit                        |  |
| 100 26 179                              | Advantage Container                   |  |
| 100 42 663                              | Advantage harness with silicon straps |  |
|   |                                       |  |

# **Ordering Information**

## Triple Safety at a Glance



#### Advantage 3000

| Part No. | Description       | Standards     |
|----------|-------------------|---------------|
| 10027724 | Advantage 3111, S | EN 136, cl. 3 |
| 10027723 | Advantage 3121, M | EN 136, cl. 3 |
| 10027725 | Advantage 3131, L | EN 136, cl. 3 |
| 10042664 | Advantage 3132, S | EN 136, cl. 3 |
| 10042730 | Advantage 3132, M | EN 136, cl. 3 |
| 10042731 | Advantage 3132, L | EN 136, cl. 3 |



| 10027727 | Advantage 3211, S | EN 136, cl. 2 |
|----------|-------------------|---------------|
| 10027726 | Advantage 3221, M | EN 136, cl. 2 |
| 10027728 | Advantage 3231, L | EN 136, cl. 2 |
| 10042732 | Advantage 3232, S | EN 136, cl. 2 |
| 10042733 | Advantage 3232, M | EN 136, cl. 2 |
| 10042734 | Advantage 3232, L | EN 136, cl. 2 |
|          |                   |               |



### Advantage 200 LS

| Part No. | Description   | Standards           |
|----------|---|---------------------|
| 430357   | Advantage 200 LS, S   | EN 140              |
| 430356   | Advantage 200 LS, M   | EN 140              |
| 430358   | Advantage 200 LS, L   | EN 140              |
| 10015770 | Paint Spray Set<br>[Advantage 200 LS,<br>pair of A2 cartridges,<br>pair of P2 prefilters<br>and 2 adapters] | EN 140,<br>141, 143 |

10016038 Pouch for Advantage 200 LS mask

S = Small, M = Medium, L = Large



#### **Advantage Filters**

| Part No. | Description                                    | Standards |
|----------|--|-----------|
| 430375   | P3 High efficiency<br>Dust Cartridge<br>[pair] | EN 143    |
| 430371   | A2 Chemical<br>Cartridge [pair]                | EN 141    |
| 430373   | A2B2E1K1<br>Chemical Cartridge<br>[pair]       | EN 141    |
| 430372   | A2P3<br>Combination<br>Cartridge [pair]        | EN 141    |
| 430374   | A2B2E1K1P3<br>Combination<br>Cartridge [pair]  | EN 141    |
| 10011347 | P2 prefilters<br>[10 pairs]<br>and 2 adapters  | EN 143    |

S = Small, M = Medium, L = Large



### TabTec® Filters

| IGDICC   |  |           |
|----------|--|-----------|
| Part No. | Description  | Standards |
| 10030510 | A1 TabTec®<br>Gas Filters [pair]                         | EN 141    |
| 10030511 | A2 TabTec®<br>Gas Filters [pair]                         | EN 141    |
| 10038476 | A2B2E1K1 TabTec®<br>Gas Filters [pair]                   | EN 141    |
| 10030514 | Adapter for<br>TabTec®/FLEXIfilter<br>Combination [pair] |           |
|          |  |           |



### **FLEXIfilters**

|          | . ==>  |           |  |
|----------|--|-----------|--|
| Part No. | Description                                      | Standards |  |
| 10027699 | P2 FLEXIfilter<br>[5 pairs]                      | EN 143    |  |
| 10027698 | P2 FLEXIfilter OR<br>[Odor removal]<br>[5 pairs] | EN 143    |  |
| 10027639 | P3 FLEXIfilter<br>[5 pairs]                      | EN 143    |  |
| 10027697 | P3 FLEXIfilter OR<br>[Odor removal]<br>[5 pairs] | EN 143    |  |



Filters for Advantage 3100 [EN 148 threaded filters]

| Part No. | Description                      |
|----------|----------------------------------|
|          | Particle/Mechanical filters      |
| D1070754 | Prefilter for Screw filter       |
| D1010700 | Particle Filter 999              |
| •••••    | Gas Filters                      |
| D1040000 | Gas Filter 87 A                  |
| D1041000 | Gas Filter 87 AB                 |
| D1042000 | Gas Filter 87 E                  |
| D1045000 | Gas Filter K                     |
| D1040713 | Gas Filter 87 ABEK               |
| D1051000 | Gas Filter 87 AX                 |
| D1051700 | Gas Filter 87 ABEK2              |
|          | Combined Filters                 |
| D1061000 | Combined Filter 88 A/St          |
| D1062000 | Combined Filter 88 AB/St         |
| D1061702 | Combined Filter 88 ABEK/St       |
| D1061703 | Combined Filter 88 ABEK2/St      |
| D1106000 | Combined Filter 89 A/St          |
| D1070708 | Combined Filter 89 AX/St         |
| D1070000 | Combined Filter 89 AB/St         |
| D1112000 | Combined Filter 89 K/St          |
| D1070705 | Combined Filter 89 ABEK-Hg/St    |
| D1070707 | Combined Filter 89 ABEK2-Hg/St   |
|          | Special Filters                  |
| D1071000 | Combined Filter 89 Hg/St         |
| D1018905 | Combined Filter 89 NO-CO/St      |
| D1070701 | Combined Filter 89 Reaktor/St    |
| D1070704 | Combined Filter 89 Reaktor B/St  |
| D1094920 | Combined Filter 580 CO/St        |
| D1018700 | Comb. Filter 89 ABEK-CO-NO-Hg/St |
| •        |                                  |





Thank you for reading this data sheet.

For pricing or for further information, please contact us at our UK Office, using the details below.

UK Office Keison Products,

P.O. Box 2124, Chelmsford, Essex, CM1 3UP, England.

Tel: +44 (0)330 088 0560 Fax: +44 (0)1245 808399

Email: sales@keison.co.uk

Please note - Product designs and specifications are subject to change without notice. The user is responsible for determining the suitability of this product.