



## VEGAWAVE 61



### Vibrating level switch for powders

#### Application area


VEGAWAVE 61 is used as a level switch in powders and fine-grained bulk solids and detects reliably and accurately when the min. or max. level is reached. The rugged design withstands the toughest conditions.

#### Advantages

- Simple setup without adjustment
- Product-independent switching point
- Insensitive to buildup
- Wear and maintenance-free
- Robust and reliable
- SIL qualified

#### Function

The tuning fork of VEGAWAVE is energized via the piezo drive to vibrate at its resonance frequency. When covered with medium, the amplitude of the tuning fork is damped. This change is detected by the electronics and converted into a switching signal.



- 1 Threaded version G1½ A
- 2 Threaded version G1½ A with temperature adapter up to 250 °C





Thank you for reading this data sheet.

For pricing or for further information, please contact us at our UK Office, using the details below.



**UK Office**

**Keison Products,**

**P.O. Box 2124, Chelmsford, Essex, CM1 3UP, England.**

**Tel: +44 (0)330 088 0560**

**Fax: +44 (0)1245 808399**

**Email: [sales@keison.co.uk](mailto:sales@keison.co.uk)**

Please note - Product designs and specifications are subject to change without notice. The user is responsible for determining the suitability of this product.