

Dräger HPS 7000 Firefighter's Helmet

The Dräger HPS 7000 firefighter's helmet is in a class of its own thanks to its innovative, sporty and dynamic design, ergonomic fit and components which make it a multifunctional system solution. It provides you optimum protection during every operation.



TAILOR-MADE FIT FOR EVERY HEAD

To meet this requirement, Dräger developed the HPS 7000 in close cooperation with customers worldwide. Two helmet shells for head sizes from 50 to 66 cm cover a wide range of individual head and face shapes. With a weight of approx. 1,380 g as basic version, it is one of the lightest helmets in its class. In addition to its comfortable interior fitting made of skin-friendly, antiallergic and flexible materials, the Dräger HPS 7000 stands out with its high level of operating and wearing comfort.

COMFORT IS A MATTER OF POSITION

The padded 4-point harness allows for safe and easy adjustment to any head shape. The optimum balance of the helmet can be adjusted individually in the neck and chin area. The padding made of Nomex also ensures a comfortable fit. The integrated comfort hairnet enables the height to be adjusted and assures a good climate inside the helmet. During operation, the head size can be adjusted quickly via an easy-to-operate size adjustment wheel with safety mechanism on the outer shell, even with wet and thick gloves.

DESIGN AT ITS STRONGEST

The ergonomic helmet design evenly distributes the weight to the head and relieves the neck muscles. The large and modern facial protection visor offers unrestricted protection with best visibility. For operations under chemical protective suits, the visor can be fixed permanently. A safe alternative is provided by the integrated and individually adjustable protective goggles with integrated softpad edge protection. Both visors leave enough space for the simultaneous use of corrective glasses or respiratory masks. A firefighter's helmet is more than a mere piece of equipment - it serves as a personal distinguishing feature. Therefore, you can configure the helmet according to your wishes: select from a variety of colours and also pick an individual emblem for your front plate.



HPS 7000 PRO
With integrated helmet lamp and separate helmet lamp



Dräger HPS 7000Basic version with facial protection visor

INNOVATIVE SYSTEM DESIGN

As a provider of integrated system solutions, Dräger sets new standards for the interaction of its products. The universally and individually adjustable mask connection system of the Dräger HPS 7000 creates a strong and safe helmet-mask combination. The full-face mask FPS 7000

the integrated mask communication unit FPS 7000 COM-PLUS and the SCBA of the PSS series allow you to optimally configure the overall system. The light-weight LED helmet lamp is integrated into the helmet shell and illuminates the whole working area. It is located in the centre of the front plate and has an effective glare

shield as well as intelligent battery management system. The interior fitting can be equipped with various audio/speech headsets for different radios. This ensures reliable communication even in loud environments.





Dräger HPS 7000 basic version with facial protection visor and short Nomex neck protection



Dräger HPS 7000 PRO with standard front plate with reflective foil and logo, includes protective goggles



Dräger HPS 7000 PRO
with protective goggles, facial protection
visor, integrated HPS 7000 helmet lamp
and neck protection, neck curtain

FACIAL PROTECTION VISOR

Integrated, clear – anti-scratch or gold-coated as option

PROTECTIVE GOGGLES (ONLY FOR PRO VERSIONS)

Integrated, clear – anti-scratch coated or tinted as option

MASK-HELMET CONNECTION

Adjustable, universal mask receptacle



EYES PROTECTION LEVER

Operation of the eye protection visor on both sides

REFLECTIVE STRIPS (OPTIONAL)

Made of flame-proof material, silver

ADJUSTMENT WHEEL

Adjust the head size from the outside

NECK PROTECTION HOLDER

Attach various neck protections via snap system

HIGHEST SAFETY - THE MATERIAL MIX MAKES THE DIFFERENCE

Despite its low weight, the Dräger HPS 7000 is one of the safest full-shell helmets in its class. Its outer shell of composite material in combination with the PUR inner shell provides reliable protection against thermal and mechanical influences. The plastic reinforced with glass fibre and aramide webbing resists extreme temperatures. It is even able to withstand the enormous radiation heat and flame engulfment of a flashover. The visors of high temperature resistant polyether sulphone reliably protect your eyes and face against high heat, particles and liquid chemicals.

NOTHING LEFT TO BE DESIRED

A comprehensive accessory programme completes the Dräger package. Reflective

strips improve your visibility under unfavourable conditions and allow for individual marking. Matched to your clothing, the various neck protection versions reliably keep your back free. Separate helmet lamps are attached with a lamp adapter on the right or left helmet side. A Nomex coating protects your helmet in any training situation and extends its service life. Helmet bags and cases provide safe storage and transport.

READY AGAIN IN NO TIME AT ALL

The Dräger HPS 7000 is easy and efficient to service due to the minimum number of components. The entire interior fitting can be removed and re-installed in just a few steps. You can replace individual components easily and quickly, using standard tools. All helmet components are cleaned and disinfected manually or in an industrial washing machine.



Dräger HPS 7000 PRO with patented wheel adjustment system



Dräger HPS 7000 PRO
with neck protection, neck curtain made
of Nomex and external lamp

ACCESSORIES

NECK PROTECTION | LAMP | LAMP HOLDER

Dräger lamps are extraordinarily bright,

Thanks to a plug-in system, each **neck protection** can be attached quickly and securely.



Aluminium/ Nomex Aluminium-coated with back made of Nomex III R 79 145



Nomex Short and tight fit, Nomex with fluorocarbon R 79 146



Lamp Dräger PX1 LED High-performance lamp with new LED technology R 57 815



Lamp Dräger PX1 XENON Helmet lamp with highest EX protection class R 57 816



77-10109-2006

Washing bag To wash the HPS 7000 in the washing machine 6570003



Helmet cover HPS 7000 To mechanically protect the helmet during operation R 79 279



Helmet tote
For transport and storage
of up to 2 helmets and
accessories
R 58 555



Lamp holder HPS 7000 To attach an external lamp R 79 129



HPS 7000 helmet lamp LED Integrated R 79 013

FRONT PLATE | PAINT REPAIR KITS

The front plates are supplied in different helmet shell colours - see the following figures.



R 79-249 -242 -241 -276 -244 -245 -246 -243 -247 -248



Paint repair kits
(Colour selection, see front plates)

OTHER ACCESSORIES

Additional accessories provide even greater protection to the wearer.



Facial protection H1-PESU Available as version Clear R 79 239 Clear, anti-scratch coated R 79 260 Gold-coated R 79 262



Eye protection H1-PESU Available as version Clear R 79 231 Clear, anti-scratch coated R 79 267 Tinted R 79 270



Anti-fog agent For all visors R 56 542



Additional pad For head sizes 50 to 51 R 79 063



Adapter ring for Savox coms R 56 828

Dräger HPS 7000:

Dräger HPS 7000 PRO:

with integrated facial protection (clear), equipped with front plate in matt black, without integrated protective goggles, without mask adapter and without option to attach an external lamp. Integrated HPS 7000 helmet lamp can be retrofitted as an option. with integrated facial protection (clear) and protective goggles (clear), equipped with front plate in matt black or helmet colour, with mask adapter and option to attach an external lamp or the integrated HPS 7000 helmet lamp. Includes reflective strips on the helmet back.

ORDERING INFORMATION

Dräger HPS 7000, size 1 with matt black front plate	Order No
Dräger HPS 7000 luminescent	R 79 170
Oräger HPS 7000 white	R 79 17
Dräger HPS 7000 red	R 79 17
Dräger HPS 7000 bright yellow	R 79 17
Dräger HPS 7000 zinc yellow	R 79 174
Dräger HPS 7000 bright orange	R 79 17
Dräger HPS 7000 signal blue	R 79 170
Dräger HPS 7000 black	R 79 17
Dräger HPS 7000 white aluminium	R 79 178
Dräger HPS 7000 chrome	R 79 179
Dräger HPS 7000 PRO, size 1 with helmet shell and front plate in same colour	
Dräger HPS 7000 PRO luminescent/luminescent	R 79 180
Dräger HPS 7000 PRO white/white	R 79 18
Dräger HPS 7000 PRO red/red	R 79 18
Dräger HPS 7000 PRO bright yellow/bright yellow	R 79183
Dräger HPS 7000 PRO zinc yellow/zinc yellow	R 79 184
Dräger HPS 7000 PRO bright orange/bright orange	R 79 18
Dräger HPS 7000 PRO signal blue/signal blue	R 79 180
Dräger HPS 7000 PRO black/black	R 79 18
Dräger HPS 7000 PRO white aluminium/white aluminium	R 79 188
Dräger HPS 7000 PRO chrome/chrome	R 79 189
Newsy LIDS 7000 DDO circ 1 with most block front plate	
Dräger HPS 7000 PRO, size 1 with matt black front plate Dräger HPS 7000 PRO luminescent/matt black	R 79 250
Dräger HPS 7000 PRO white/matt black	R 79 25
Dräger HPS 7000 PRO red/matt black	
Dräger HPS 7000 PRO bright yellow/matt black	R 79 25
Dräger HPS 7000 PRO zinc yellow/matt black	R 79 254
Dräger HPS 7000 PRO bright orange/matt black	R 79 25
Dräger HPS 7000 PRO signal blue/matt black	R 79 250
Dräger HPS 7000 PRO black/matt black	R 79 25
Dräger HPS 7000 PRO white aluminium/matt black	R 79 258
Dräger HPS 7000 PRO chrome/matt black Further versions of the Dräger HPS 7000 PRO are available on request, via modular system number.	R 79 259
Accessories / Spare Parts	
Neck protection Nomex/Aluminium	R 79 14
Neck protection Nomex, short	R 79 140
Neck protection Nomex, neck curtain, three-layer	R 79 14
HPS 7000 helmet lamp LED, integrated	R 79 013
For HPS 7000 and HPS 7000 PRO, to attach the integrated LED helmet lamp, order separately:	
E-kit front plate for HPS 7000 helmet lamp	R 79 22
amp holder HPS 7000 (for helmet lamps Dräger PX 1)	R 79 12
telmet lamp Dräger PX 1 LED	R 57 81
Helmet lamp Dräger PX 1 XENON	R 57 81
IPS 7000 facial protection H1-PESU, clear	R 79 23
HPS 7000 facial protection H1-PESU AS (anti-scratch coated), clear	R 79 26
HPS 7000 facial protection H1-PESU, gold	R 79 26
HPS 7000 eye protection H1-PESU, clear	R 79 23
HPS 7000 eye protection H1-PESU AS (anti-scratch coated), clear HPS 7000 eye protection H1-PESU, tinted	R 79 26 R 79 27
Reflective strips, silver, back	R 79 00
Reflective strips, service grade	R 79 00

ORDERING INFORMATION

I for head size 50/51 (to reduce the size of the harness) R 79 063	
Adapter ring for SAVOX coms R	R 56 828
Helmet bag	R 79 276
Helmet cover	R 79 279
Helmet bag (for transport and storage of up to 2 helmets)	R 58 555
Anti-fog agent	R 56 542
Washing bag	65 70 003
nt plate in all helmet colours Availat	
Leakage repair sets, in all helmet colours (except chrome)	Available on request

TECHNICAL DATA

D	1100	
Dräger	HPS	7000

Size	2 helmet shell sizes, H1: for head size 52 to 60 and optional for 50/51 (when using a separate padding strip),		
	H2: for head size 56 to 64/66, continuously adjustable via adjustment wheel (available 2014)		
Weight	HPS 7000- H1: approx. 1,380 g (±5%), HPS 7000 PRO-H1: approx. 1,580 g (±5%)		
Material, outer shell	Composite consisting of glass fibre reinforced plastic (PA-GF) and additionally reinforced with aramide webbing,		
	high temperature resistant		
Colours	See Order Information		
Mask connection (only for PRO version)	Option to attach any adapter mask, e.g. Dräger FPS 7000, 4 positions adjustable		
Interior fitting	Flame-resistant and washable 4-point harness made of Nomex, sweat band of eco leather,		
	head support ring with wheel adjustment system (patent pending), integrated comfort hairnet,		
	fixing lever for facial protection visor and communication adapter		
Facial protection visor	2.5 mm polyether sulphone, anti-scratch coated (optional), approved acc. to		
	EN 14458:2004 (±40 °C, T, N, K, AT, R, E3)		
	clear or gold-coated version		
Protective goggles (only for PRO version)	2.5 mm polyether sulphone with softpad edge protection, anti-scratch coated (optional), approved acc. to		
	EN 14458:2004 (±40 °C, T, N, K, AT, R, E3), clear or tinted version, 2 positions adjustable		
Approvals, helmet:	EN 443:2008 (type B 3b, C, E2, E3, -40 °C), mask-helmet combination acc. to DIN 58610		

Helmet lamp HPS7000

d plastic (PA-GF), high temperature resistant	Material
e x 43 mm high x 105 mm long	Total dimension
ox. 125 g, without batteries: approx. 80 g	Weight
level 1: approx. 43 lm, lighting level 2: approx. 25 lm	Light technology
alkaline batteries, intelligent battery management system	Power supply
rox. 5 hours, lighting level 2: approx. 11 hours	Usage time
	Protection class
T3 Gb	Approval HPS 7000 helmet lamp
C T4/T3 Gb	
ox. 125 g, without batteries: approx. 80 g level 1: approx. 43 lm, lighting level 2: approx. 25 lm alkaline batteries, intelligent battery management system rox. 5 hours, lighting level 2: approx. 11 hours	Weight Light technology Power supply Usage time Protection class



Thank you for reading this data sheet.

For pricing or for further information, please contact us at our UK Office, using the details below.

UK Office Keison Products,

P.O. Box 2124, Chelmsford, Essex, CM1 3UP, England.

Tel: +44 (0)330 088 0560

Fax: +44 (0)1245 808399

Email: sales@keison.co.uk

Please note - Product designs and specifications are subject to change without notice. The user is responsible for determining the suitability of this product.