

Dräger PARAT 3000 Filter Escape Device



ST-2024-2005

In case hazardous substances are present at a work place it use to be taken into account that all of a sudden they occur in concentrations that cause severe health impairment or even death.

Then the filter escape devices Dräger PARAT 3000 have a single but vital task to perform: They have to ensure that user is provided with protection along his escape route into a safe, breathable atmosphere. Therefore they are tailored to compactness, robust design and safe handling. The filter escape devices are designed for 15 minutes of escape time.

1. Half mask with 2-point harness – Quick donning even for untrained people
2. Mouth piece assembly – For the least leakage possible
3. ABEK Filter – Protection against a wide range of toxic gases an vapours
4. Robust, handy case – even for rough handling usage
5. Transparent cover with mounting clip – to carry the device on a belt or frontpocket

Dräger PARAT 3000 – another quality product from Dräger Safety.



ST-1853-2005

Dräger PARAT 3100



ST-1850-2005

Dräger PARAT 3200

TECHNICAL DATA

Filter performance	gasfilter against organic and anorganic gases and vapours ABEK 15 in accordance to DIN 58647 part 7	
Duration of use	at least 15 minutes	
Shelf life	4 years free of service, filterexchange every 4 years, total shelf life 12 years	
Weight	Dräger PARAT 3100	approx. 360g
	Dräger PARAT 3200	approx. 330g
Dimensions (L x W x H)	Dräger PARAT 3100	170 x 110 x 90 mm
	Dräger PARAT 3200	170 x 110 x 60 mm
Approval	CE mark 0158 in accordance to DIN 58847 part 7	

ORDER INFORMATION

Dräger PARAT 3100	R 56 311
Halfmask with ABEK 15 filter	

Dräger PARAT 3200	R 56 312
Mouthbit with noseclip and ABEK 15 filter	

Upgrade Kits (without filter)

Dräger parat 1 to PARAT 3100	R 56 324
Dräger parat 2 to PARAT 3200	R 56 325

Accessories:

Training device components	
PARAT 3100, blue bottom part	R 56 353
PARAT 3200, blue bottom part	R 56 354
Carrying strap, white	R 28 175

Sparefilters

Sparefilters ABEK 15 (PU 5 pc.)	R 56 350
PARAT 3000 security tag, 50 pieces each	R 56 355



New sealing mechanism

No adhesive tape, simple to open, easy filter replacement

Handy carrying zones

For secure handling

Robust, easy-to-handle housing

For tough deployment conditions

Reusable TPE band

Adhesive tape no longer necessary

ST:856-2005



Thank you for reading this data sheet.

For pricing or for further information, please contact us at our UK Office, using the details below.



UK Office

Keison Products,

P.O. Box 2124, Chelmsford, Essex, CM1 3UP, England.

Tel: +44 (0)330 088 0560

Fax: +44 (0)1245 808399

Email: sales@keison.co.uk

Please note - Product designs and specifications are subject to change without notice. The user is responsible for determining the suitability of this product.