

## Dräger X-plore® 6530 Full Face Masks

The Dräger X-plore® 6530 is the most widely used full face mask from professionals in a wide variety of applications. It meets the highest demands for quality, reliability, secure fit and comfort. This full face mask is the successor to the Panorama Nova masks, a range which has proven itself over decades of use worldwide



The Dräger X-plore® 6530 is compatible with the respiratory filters from Dräger's comprehensive X-plore® Rd40 filter range. This mask covers a wide range of applications and is versatile in use. For applications with unknown contaminants or in oxygen deficient environments, the Dräger X-plore® 6530 can be used in combination with a self-contained breathing apparatus.

The mask body, which is made of robust and hypoallergenic EPDM, features a double-layer face seal with triple sealing action for a secure and comfortable fit on just about any shape of face. The mask comes in a universal "one size fits all", making logistics and storage easy. The comfortable five-point head harness not only ensures that the mask can be donned easily and quickly, but is wide enough to prevent any pressure points on the wearer's head.

The distortion-free visor with 180° wide-angle guarantees a large field of vision with panoramic view. It comes in either impact-resistant polycarbonate (with a plastic frame or extra robust stainless steel frame) or chemical-resistant triplex (with an extra robust stainless steel frame). The intelligent ventilation system ensures that the visor remains fog-free, while a stainless steel speech membrane facilitates communication. The mask also comes with a neckstrap for easy carrying.

A barcode inside the mask makes checking inventories and carrying out maintenance easy. Valves can even be serviced without tools. A full range of accessories and spare parts are available. High quality materials and careful workmanship ensure mask longevity, making the masks highly cost effective.

### TECHNICAL DATA

Mask body	Highly resistant and hypoallergenic EPDM
Visor	Choice of impact-resistant polycarbonate or extremely temperature- and chemical-resistant triplex
Connector	Sturdy plastic with inhalation and exhalation valve, standard thread connection Rd 40x1/7" as per EN 148-1
Weight	Approx. 550 – 650 g (depending on visor/frame)
Tested and approved	EN 136 Class 3 (CE mark), NIOSH (PC), AS/NZS



ST-7498-2005

Dräger X-plore® 6530 EPDM/PC with PC visor and plastic frame



ST-14949-2008

Dräger X-plore® 6530 EPDM/PC with PC visor and stainless steel frame



ST-7499-2005

Dräger X-plore® 6530 EPDM/Triplex with Triplex visor and stainless steel frame

## ORDER INFORMATION

Description		Order no.
Dräger X-plore® 6530 EPDM/PC	With PC visor and plastic frame	R 55 795
Dräger X-plore® 6530 EPDM/PC	With PC visor and stainless steel frame	R 51 525
Dräger X-plore® 6530 EPDM/Triplex	With triplex visor and stainless steel frame	R 55 810
<b>Accessories</b>		
Wikov V carrying case		R 51 019
Protex mask bag		R 54 939
Mask spectacles kit		R 51 548
Lens covers (set of 25), self-adhesive		40 55 092
Welding protection visor (only for stainless steel frame)		R 50 270
Anti-fogging gel "klar-pilot" (50 ml)		R 52 560
DAISYquick cleaning cloths (pack of 10)		R 54 134
Welding shield		40 53 437
Adapter for welding shield	for supplementary panels and welding protective filters with a 110mm x 90mm format	R 57 308

The compatible Dräger X-plore® Rd40 filter series with standard thread connection as per EN 148-1 includes an extensive range of different particle, gas and combination filters (see separate data sheet Dräger X-plore® Rd40 Filters for further details).



Thank you for reading this data sheet.

For pricing or for further information, please contact us at our UK Office, using the details below.



**UK Office**

**Keison Products,**

**P.O. Box 2124, Chelmsford, Essex, CM1 3UP, England.**

**Tel: +44 (0)330 088 0560**

**Fax: +44 (0)1245 808399**

**Email: [sales@keison.co.uk](mailto:sales@keison.co.uk)**

Please note - Product designs and specifications are subject to change without notice. The user is responsible for determining the suitability of this product.