


Shakers, mixers and stirrers » MSH-300i digital magnetic stirrer hotplate

MSH-300i digital magnetic stirrer hotplate

Digital magnetic stirrer with heating; the MSH-300i Intelli-stirrer is designed for laboratories with higher requirements. It offers digital setting and control of temperature and rotation speed. A powerful magnet allows mixing solutions with glycerine viscosity level. Maximum volume of stirred liquid is 20 litres.

- **Adjustable speed control: 100 to 1250rpm**
- **Maximum stirring volume: 20 litres**
- **2 year warranty, Grant renowned technical and service support**
- **Stirrer bar and retort stand included as standard**



* Optional, please order separately

Applications:

- Clinical/Healthcare - thawing/heating/stirring samples
- Pharmaceutical - Heating and stirring samples
- Science education in schools/universities - practical science demonstration and experimentation
- Industrial - QC testing, sample preparation

MSH-300i digital magnetic stirrer hotplate – Technical specifications

• = optional

MSH-300i

Digital magnetic stirrer hotplate



h: 100mm
d: 270mm
w: 190mm
weight: 3.2kg

Mixing speed control range	rpm	100 to 1250
Maximum stirring volume (H ₂ O)	L	20
Temperature setting range	°C	+30 to 330
Temperature uniformity	±°C	3
Working plate heating time till 330°C		11 mins
Maximum stirring liquid viscosity	mPa.s	Up to 1170
Plate diameter	mm	160
Plate material		Aluminium alloy
Retort stand height	mm	320
Length of magnetic stirring element	mm	20-70
Heating power	W	550
External power supply		Input AC 120-230V, 50/60Hz Output DC 12V
Nominal operating voltage	V	120 or 230 (50/60Hz)
Power consumption	W	8.5 (stirring) 550 (heating)

Accessories

DPMD Double clamp	•
MSH-EP External temperature probe	•
SKM2 Clamp	•



Thank you for reading this data sheet.

For pricing or for further information, please contact us at our UK Office, using the details below.



UK Office

Keison Products,

P.O. Box 2124, Chelmsford, Essex, CM1 3UP, England.

Tel: +44 (0)330 088 0560

Fax: +44 (0)1245 808399

Email: sales@keison.co.uk

Please note - Product designs and specifications are subject to change without notice. The user is responsible for determining the suitability of this product.