



Full Face Mask 3S Basic Plus

[The Economical Alternative]

The Full Face Mask 3S Basic Plus is the low cost basic model of the known and proven 3S Full Face Mask series. It is made in particular for use in

industries, HazMat- and contamination abatement as well as those fields of trade needing respiratory protection.

MSA

[Application]

The 3S Basic Plus is provided for use with respiratory protective filters [screw-type filters with thread to EN 148-1], assisted and non-assisted fresh air breathing apparatus, air-line systems and Powered-Air-Purifying-Respirators.

It is not approved for use by fire departments or as face piece in combination with compressed-air breathing apparatus [certified to EN 136, Class 2].

[Design and Construction]

The 3S Basic Plus faceblank is made of a skin-compatible and largely age-resistant natural rubber formulation. It offers the same good properties the 3S mask series is known for. The acrylic [PMMA] lens is scratch-resistant and almost unbreakable. Moreover it offers a good field of vision. The visor is fitted with a white lens frame and is easy to replace.

The white coloured adapter for the respiratory protective appliance has a round-thread connection to EN 148-1. Part of the adapter is the integrated exhalation valve which is also used for voice communication. Perfectly located in front of the mouth it transmits the voice effectively and intelligibly.

The 5-point harness supports quick donning and doffing without prior adjustment. A neck strap can easily be retrofitted and permits carrying the mask in readiness on the chest.

The 3S Basic Plus is easy to maintain. Components which must be replaced in regular intervals, like valve discs, are easily accessible.



[Features and Benefits]

- Excellent tight fit
- High wearing comfort
- Large field of vision
- Good voice transmission
- Easy to maintain

[Approval]

The Full Face Mask 3S Basic Plus is certified and approved to EN 136, Class 2.

[Ordering Information]

D2055790 3S Basic Plus

[Accessories]

D2055709 Carrying case

D2055706 3S cover lens, self-adhesive, pg. of 10, protects the mask visor

D6063705 Mask leak tester [see leaflet 05-405.2]

D2055707 Carrying strap, assembly

Respiratory protective filters [see leaflet 05-100.2]

Corrective spectacle frames for face masks [see leaflet 05-405.2]



Thank you for reading this data sheet.

For pricing or for further information, please contact us at our UK Office, using the details below.



UK Office

Keison Products,

P.O. Box 2124, Chelmsford, Essex, CM1 3UP, England.

Tel: +44 (0)330 088 0560

Fax: +44 (0)1245 808399

Email: sales@keison.co.uk

Please note - Product designs and specifications are subject to change without notice. The user is responsible for determining the suitability of this product.