



T H E

O H A U S E S S E R I E S

*low profile bench scales*




Utility and economy come together in the ES Series of all purpose bench scales. The low profile design of the ES Series Scales makes them perfect for goods despatch, receiving, and general bench applications. Easy, two-button operation and a large display guarantee accurate and unmistakable results. The unique Triax indicator stand allows you to mount the indicator to the scale base, above the scale platform, or on any vertical surface. For simple weighing at a favourable cost, an ES Scale is the one to choose.

- 6 Models to choose from – 6 kg to 200 kg
- Features kg, lb, oz and lb:oz units
- Plug and Weigh – Ready to use
- AC and battery power



# ES Series

## Low Profile Bench Scales



Model	ES6R	ES30R	ES50R	ES50L	ES100L	ES200L
Capacity (kg)	6	30	50	50	100	200
Readability (kg)	0.002	0.01	0.02	0.02	0.05	0.1
Weighing Units	kg, lb, oz, lb:oz					kg, lb, oz
Base Size (cm)	31 x 27 x 4			52 x 40 x 7.5		
Indicator Stand (cm)	10			10		
Platform Construction	Stainless steel/baked enamel frame			Stainless steel/powder coated frame		
Scale Weight (kg)	3			15		
Shipping Weight (kg)	4			17		
Shipping Dimensions (cm)	32 x 37 x 14			48 x 60 x 23		
Span Calibration	100%				50%	
Display (cm)	LCD 2.54 cm (digit height)					
Keyboard	Two function membrane switches					
Power	9VDC / AC adapter (included) or six AA batteries (not included)					
Typical battery life	120 hours/30 hours of continuous use					
Stabilization Time (typical)	Within 3 seconds					
Storage Temperature	-10 °C to 70 °C					
Operating Temperature	-10 °C to 40 °C					

Meets Requirements of Approval Agencies: UL, FCC, CSA, CE Safety EN60950, Emissions EN55022, Immunity EN50082-1

### Standard Features

Easy two-button operation, Stability indicator, Auto-zero tracking, Battery saving auto-off timer, (after 5 minutes of inactivity), TRIAX indicator stand, (mounts indicator to base, above base, or to wall), Large platforms feature leveling feet. AC Adapter.

### Simple To Order

Contact your dealer for product availability as well as warranty information.

With offices in Mexico, Switzerland, England, Germany, France, Spain, Italy, Poland, Russia, Japan, Korea and China

\* ISO 9001  
Registered Quality Management System

Internet Address: [www.ohaus.com](http://www.ohaus.com)

© OHAUS Europe 80'774'100





Thank you for reading this data sheet.

For pricing or for further information, please contact us at our UK Office, using the details below.



**UK Office**

**Keison Products,**

**P.O. Box 2124, Chelmsford, Essex, CM1 3UP, England.**

**Tel: +44 (0)330 088 0560**

**Fax: +44 (0)1245 808399**

**Email: [sales@keison.co.uk](mailto:sales@keison.co.uk)**

Please note - Product designs and specifications are subject to change without notice. The user is responsible for determining the suitability of this product.