



P E R S O N A L
P R O T E C T I V E
E Q U I P M E N T



SABRE
COM

RADIO
COMMUNICATIONS
INTERFACE



SABRE COM

Sabre Com is a unique radio communications interface that fully integrates with your choice of Sabre facemask. Available as a complete communications solution on the Vision 3, PanaSeal and PanaVisor facemasks, Sabre Com is approved to EN136 Class 3.

Experience the benefits . . .

Latest approvals

Intrinsically safe ATEX approved. Also meets stringent test requirements for flame engulfment, heat resistance (EN137: 2002) and IP67 rating for water resistance and dust penetration.

Fully integrated

No need for tools or dismantling of the facemask. Complete ready to use communications solution that is an integral part of the facemask. Supplied with an adaptor to suit the user's choice of radio.

Loud and clear

Extensively tested in high ambient noise atmospheres above 100dBA, Sabre Com utilises a microphone positioned on the inside of the facemask to provide optimum clarity and excellent speech reproduction.

Flexible

The flexible boom style ear-piece can quickly be positioned for user preference and comfortably



sits inside modern close fitting helmets.

Easy operation

The large 'push-to-talk' button is attached to the harness using a freely rotating clip, this enables the user to position the PTT button where they like. Facemask connection is through a simple 'push and twist' bayonet mechanism, allowing for simple and fast removal for cleaning.

Safety as standard

Manufactured from the same glass filled polyamide material as all Sabre facemasks to provide high heat, flame and impact resistance.



Sabre Com works in tandem with any of the radios below. Other adaptors are available upon request.	ORDER CODE
Motorola GP900, HT1000, MTS2000, GP900, 1200, 3600, HT1000, 1100, JT1000, MT2000, 2100, MTS2000, MTX838, 2000, 8000, 9000, PTX1200, 3600 Transcript Stealth, XTS-3000, MT6000E	2014183
Kenwood TK350, 320, 340, 360, 370, TK-208, 220, 240, 248, 250, 260, 270, 308, 320, 340, 348, 350, 353, 360, 361, 370, 430, 431, TH-21, 22E, 25A, 41, 45, 75, 91A, ATE	2014184
Motorola GP300, GP-300, P-1225, SP-10, 21, 50, P-110, MP-100, GTX, LTS-200	2014185
Maxon SL55	2014186
Motorola HT600, HT800, MT1000, HT-600, HT-800, MT-1000, MT-300, P-2000, MTX-800, 810, 820, 900, 900S	2014188
Motorola MX1000, Astro, Saber, MX1000	2014189
Motorola GP320, GP360, GP640, GP-318, 320, 328, 338, 360, 380, 640, 680, 1280, HT-750, 1250,1550	2014190
Philips/Simoco PRP 70, 73, 74, 75, 76	2014191



Thank you for reading this data sheet.

For pricing or for further information, please contact us at our UK Office, using the details below.



UK Office

Keison Products,

P.O. Box 2124, Chelmsford, Essex, CM1 3UP, England.

Tel: +44 (0)330 088 0560

Fax: +44 (0)1245 808399

Email: sales@keison.co.uk

Please note - Product designs and specifications are subject to change without notice. The user is responsible for determining the suitability of this product.